20 Um:

Each

Customer Job Number **Estimate Number** P.O. Number This Issue Prsht Rev. First Issue Previous Run Written By Checked & Approved By Comment **Additional Product** Job Number:

Thursday, 7/19/2007 2:25:37 PM Kim Johnston

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

: GASKET

: D353635

: 7/31/2007

: N/A

: A

D3536 REV A

: CU-DAR001 Dart Helicopters Services

: 33659 : 12716

: 7/19/2007 S.O. No. :

: NC

: // : 32788 Type

: SMALL /MED FAB

: Est Rev:A

New Issue 07-02-14 JLM

2.0

Seq. #: MNEO60S063

Machine Or Operation:

Description:

NEOPRENE SHEET 0.063

Comment: Qtv.:

0.6507 sf(s)/Unit Total: 13.0137 sf(s) NEOPRENE SHEET 0.063 M 105113

Batch:

WATER

Comment: FLOW WATER JET

1-Cut as per Dwg D3536 Dwg Rev:_

Prog Rev:_

1B 07-08-01

2-Deburr if necessary

3.0

INSPECT PARTS AS THEY COME OFF MACHINE



1807-08-01

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

SECOND CHECK



Comment: SECOND CHECK

5.0



PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:





Dart Ae	rospac	e Ltd	1	I i								
W/O:			i.		WOF	RK ORDER C	HANGES					
DATE	STEP	i c	,	PROCEDUR	RE CHAN	GE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
		i i		i 								
			; ;						·			
						4-						
Part No	:	T'	PAR #:	Fau		ry:	NC					
		1	i					QA: N	C Close	d:	_ Date: _	
NCR:		1		WORK	ORDE	R NON-CONF	ORMANC	E (NCR)			
DATE	OTED	Des	cription of NC			orrective Action	Section B		Verific	ation	Approval	Approval
DATE	STEP	1	Section A	Init Chief		Action Descr Chief Eng	iption	Sign & Date	Section		Chief Eng	QC Inspecto
		1										
		1.	}		*							
·		r ·										
		1	j									
η.									,			
	i i						(4)					
	!	T -]									
	i	1 1	· I	- 4								

NOTE: Date & initial all entries

Date:

Thursday, 7/19/2007 2:25:37 PM

User:

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: GASKET

Job Number: 33659

Part Number: D353635

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC21

FINAL INSPECTION/W/O RELEASE





Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Dart Aerospace Ltd W/O: **WORK ORDER CHANGES Approval Approval** DATE STEP PROCEDURE CHANGE Ву Qtv Chief Eng / Prod Mgr Date QC Inspector PAR #: _____ Fault Category: _____ NCR: Yes No DQA: ____ Date: ____ Part No: QA: N/C Closed: ____ Date: ____ WORK ORDER NON-CONFORMANCE (NCR) NCR: **Corrective Action** Section B **Description of NC** Verification Approval QC Inspector **Approval** STEP DATE Sign & Initial **Action Description** Section A Section C Chief Eng Date Chief Eng Chief Eng

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	33659
Description: Gasket	Part Number:	D3536-35
Inspection Dwg: D3536 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article	Prototype
-----------------	-----------

Drawing Dimension	Tolerance	Actual Dimension	. Accept	Reject	Method of Inspection	Comments
23.25	+/-0.030	23,25	×	-		
19.75	+/-0.030	19.75	×			
17.75	+/-0.030	17.75	×			
14.25	+/-0.030	14.25	*			
9.50	+/-0.030	9,50	75			
4.75	+/-0.030	4.75	M			۵
2.00	+/-0.030	CO. C	×			
6.00	+/-0.030	6.00	X			
6.75	+/-0.030	6.75	K			
0.30	+/-0.030	30	SE			
0.30	+/-0.030	-30	¥			
1.89	+/-0.030	1.89	×			
Ø0.19	+0.005/-0.001	, 19	*			
0.063	+/-0.010	.063	*			
	<u> </u>					
	·					
	·					

Measured by:	Audited by:	Prototype Approval:	N/A
Date: 07-08-0[Date: 67 00 0	Date:	N/A

Rev	Date	Change	Revised by	Approyed
Α	07.03.14	New Issue	KJ/JLM of	

SCALE 읶

1:10


DATE

06.10.25

CHECKED

B





D3536-15 GASKET

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE RETURN TO ENGINEERING SHOP COPY CORDER

봀

DOCUMENT

ᇬ

Copyright © 2006 by DART AEROSPACE USA, IN PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART!

INC.

NOT TO BE USED FOR ANY RT AEROSPACE USA, INC.


PURPOSE

유

COPIED

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

- PART IS SYMMETRICAL ABOUT & TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- ALL DIMENSIONS ARE IN INCHES
- IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION



D3536-21 GASKET

CB S	DART AEROSPACE USA, INC.
APPROVED ()	DRAWING NO. REV. A
4	D3536 SHEET 2 OF 6
	TITLE SCALE
	GASKET 1:10

06.10.25

GASKET

3 우 REV.

SCALE 1:10

52.85 21.22.20 33.92 28.53 -23.14 17.75 14.25 -DETAIL A 2.00 1.89 - 6.00 8.00 0.90 - 16.00 ≠0.19 (TYP 6 PLS) 24.00 32.00 -39.00 48.00 D3536-23 GASKET

UNCONTROLLED COPY 会別でするとの日子 SHOP COPY WITHOUT SOTTE EXONERRING THE SERVICE OF THE PARTY OF THE RETURNTO

봀

DOCUMENT

ᅜ

Copyright © 2006 by DART AEROSPACE USA, II PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART

INC.

NOT TO BE USED FOR ANY INC.


NOT AEROSPACE USA, INC.

PURPOSE

욹

COPIED

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- PART IS SYMMETRICAL ABOUT &
 TOLERANCES ARE PER DART QSI 018 UNLESS
 OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION



D3536-25 GASKET



DATE CHECKED 06.10.25 B \mathcal{Z} GASKET 틸

D3536 DRAWING NO. DART **AEROSPACE** J.

SHEET


4 우 SCALE 1:10

RC.

07.02.12

- 22.50 19.00 2.00 -6.00 -Q. 1.89 DETAIL A ≠0.19 (TYP 3 PLS)

D3536-31 GASKET



D3536-33 GASKET

MOTES

봀

DOCUMENT

Ñ

Copyright © 2006 by DART AEROSPACE USA, IN PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART

INC.

OT TO BE USED FOR ANY

T AEROSPACE USA, INC.

PURPOSE

유

COPIED

NO.333

WORK (RDER

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ©
 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- ALL DIMENSIONS ARE IN INCHES
 IDENTIFY WITH DART P/N USING A WHITE FINE POINT
 PERMANENT INK MARKER

PERMANENT INK MARKER
7) SEE PAGE 6 FOR DETAILS AND SECTION
SECTION SHOP COPY
BUGINEERING
ENGINEERING
E WITHOUT KOTICE

23.25 - 19.75 · 17.75 2.00 4.75 1.89 #0.19 (TYP 2 PLS) - DETAIL A

D3536-35 GASKET

DATE CHECKED B E DRAWN BY D3536 DRAWING NO DART AEROSPACE (USA,

NC.


5 OF 6 SCALE 1:10

06.10.25

GASKET

57.02.12

30.75 2.00 9.50 4.75 1.89 Œ 6.00 8.00 16.00 DETAIL A 21.00 ●0.19 (TYP 4 PLS) D3536-37 GASKET



拭

DOCUMENT

 $\overline{\mathbf{v}}$

Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

PURPOSE

욹

COPIED

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

- 2) FINISH: NONE
 3) PART IS SYMMETRICAL ABOUT
 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
 7) SEE PAGE 6 FOR DETAILS AND SECTION

UNCONTROLLED COPY SUBJECT TO AMENDMENT WORK ORDER WITHOUT NOTICE SHOP COPY ENGINEERING RETURN TO

57.62.12

27.98 25.08 18.50 15.00 2.00 -1.88 4.00 #0.19 (TYP 2 PLS) **DETAIL**


D3536-41 GASKET

- MOTES

 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60
 DUROMETER (REF DART SPEC. M-NEO60-S.063)

- DUROMETER (REF DART SPEC. M-NEO6O-S
 2) FINISH: NONE
 3) PART IS SYMMETRICAL ABOUT &
 4) TOLERANCES ARE PER DART QSI 018 UNLESS
 OTHERWISE NOTED
 5) ALL DIMENSIONS ARE IN INCHES
 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT
 PERMANENT INK MARKER





CB	CB	DART AEROSPACE USA, INC.
CHECKED	APPROVED //	DRAWING NO. REV. A
3	#	D3536 SHEET 6 OF 6
DATE		TITLE
06.10.25		GASKET 1:10